

# LOW PROFILE MIMO PANEL ANTENNA ARRAY - 15dBi / 16.5dBi / 18dBi

700 MHz Antenna Spec Sheet

---



The Ubiik Mimomax Low Profile MIMO Panel Antenna Array is a high-gain, rugged, compact, wide-band antenna suitable for radio sites that encounter ice, snow and strong wind loading.

Like all Ubiik Mimomax MiMO antennas, the Low Profile Panel Antenna provides independent horizontal and vertical polarizations making it suitable for a wide range of radio applications including MiMO. This pattern-type diversity solution provides increased signal quality and path resilience in very challenging environments.

The Low Profile Panel Antenna comes with fully enclosed radome making it a good fit for harsh weather conditions.

With a typical 15dBi, 16.5dBi, or 18dBi antenna gain and a maximum input power of 200W, the Ubiik Mimomax Low Profile MIMO Panel Antenna Array is a highly versatile antenna. It is ideal for long path remote radios and Point-to-Point links.

# LOW PROFILE MIMO PANEL ANTENNA ARRAY SPECIFICATIONS

Electrical Specifications				
Panel	2-Panel Vertical	2-Panel Horizontal	3-Panel Horizontal	4-Panel
Frequency Range	757-788MHz			
VSWR	<= 1.5:1 Typical			
Polarization	Horizontal and Vertical with separate feeds			
Antenna Gain	15dBi Typical	15dBi Typical	16.5dBi Typical	18dBi Typical
Front-to-Back Ratio	≥ 20dB			
Rated Power	200W			
Input Impedance	50Ω			
Lightning Protection	Direct Ground			

Mechanical Specifications				
Connector Type	2 x N-Female			
Assembled Array Dimensions (HxWxT)	18x37x6 inches (450x930x150mm)	18X37x6 inches (450x950x150mm)	18X61x6 inches (450x1550x150mm)	37x51x6 inches (930x1450x150mm)
Weight	13 lbs (6 kg)	20 lbs (9 kg)	31 lbs (14 kg)	42 lbs (19 kg)
Material and Structure	Robust UV-ABS radome with aluminium backplate and rugged stainless-steel mounting			
Max Gust Speed	124 mi/h (200 km/h)			
Wind Loading	"146lbf @ 100Mi/h (650N @ 160k/h)"	"146lbf @ 100Mi/h (650N @ 160k/h)"	"219lbf @ 100Mi/h (975N @ 160k/h)"	"292lbf @ 100Mi/h (1300N @ 160k/h)"
Mounting	"2 clamps for attachment to 20-51mm pole" (each panel)	"2 clamps for attachment to 25-55mm pole"	"2 clamps for attachment to 25-55mm pole"	"4 clamps for attachment to 25-55mm pole"

Product Orders	
Product Code	Description
ANT-757-788-015-PD01	700MHz MIMO Panel 2 x vertically stacked array, 757-788MHz, 15dBi
ANT-757-788-015-PD02	700MHz MIMO Panel 2 x horizontally stacked array, 757-788MHz, 15dBi
ANT-757-788-016-PD03	700MHz MIMO Panel 3 x horizontally stacked array, 757-788MHz, 16dBi
ANT-757-788-015-PD04	700MHz MIMO Panel 4 x array, 757-788MHz, 18dBi

**Important:** Specifications are subject to change without prior notice

# LOW PROFILE MIMO PANEL ANTENNA ARRAY PICTURES




2-Panel Horizontal, 15dBi



2-Panel Vertical, 15dBi







3-Panel Horizontal, 16.5dBi







4-Panel, 18dBi

## 2-Panel Vertically Stacked Array







# LOW PROFILE MIMO PANEL ANTENNA ARRAY RADIATION PATTERNS

## 2-Panel Horizontally Stacked Array



# LOW PROFILE MIMO PANEL ANTENNA ARRAY RADIATION PATTERNS

## 3-Panel Horizontally Stacked Array



# LOW PROFILE MIMO PANEL ANTENNA ARRAY RADIATION PATTERNS

## 4-Panel Array

